

Excizia totală a mezorectului prin abord transanal - o prezentare de caz

Ștefan Tudor^{1,2}, Corina Minciună², Monica Lăcătuș^{1,2}, Daniel Gavrilă^{1,2}, Simona Manciu^{1,2}, Daniela Ungureanu³, Mihai Cordun⁴, Cătălin Vasilescu^{1,2}

¹General Surgery Department, Fundeni Clinical Institute, Romania

²Carol Davila University of Medicine and Pharmacy, Romania

³Department of Anesthesia and Critical Care, Fundeni Clinical Institute, Bucharest, Romania

⁴Center of Gastroenterology and Hepatology, Fundeni Clinic Institute, Bucharest, Romania

Rezumat

Excizia totală a mezorectului prin abord transanal (TaTME) este o noțiune introdusă pentru prima dată în 2010 și reprezintă o abordare relativ nouă în cadrul tratamentului chirurgical al cancerului colorectal. Prezentăm cazul unei paciente în vârstă de 65 de ani, diagnosticată cu adenocarcinom moderat diferențiat de rect mediu, cT2N0M0, la care s-a practicat o rezecție totală de mezorect prin abord transanal (TaTME). Tehnica chirurgicală și posibilele dificultăți asociate sunt prezentate, inclusiv potențiale complicații postoperatorii și problemele de siguranță oncologică. TaTME reprezintă o opțiune sigură și fezabilă în tratamentul cancerului colorectal. Sunt necesare studii suplimentare pentru a confirma superioritatea metodei față de excizia totală a mezorectului prin abord laparoscopic.

Cuvinte cheie: excizia totală a mezorectului prin abord transanal, TaTME, cancer rectal, excizia totală a mezorectului